



**GOVERNMENT OF WEST BENGAL**  
**DIRECTORATE OF FORESTS**  
**OFFICE OF THE DIVISIONAL FOREST OFFICER,**  
**PANCHET DIVISION**

Satyajit Sarani, Bishnupur, Bankura  
 Phone & Fax No.. 03244-252189, E-mail: [Panchetvp@gmail.com](mailto:Panchetvp@gmail.com),  
 Website: [www.bankuraforest.in](http://www.bankuraforest.in)



Quotation No. – 18/Supply of Hycopot/ Root Trainer

Dated, Bishnupur, the: 10 / 01 / 2018

In terms of Finance Department Audit Branch Govt. of West Bengal's Memorandum No. 5400-F(Y) dated 25-06-2012 sealed quotations are invited from bonafied experienced and reliable resourceful agencies having experience in any Govt. /Semi Govt. / Govt. undertakings for providing various categories services as detailed in schedule below subject to the following conditions. Quotations should be address to the undersigned in a sealed cover by name as well as official designation Sri Nilratan Panda, WBFS, Divisional Forest Officer, Panchet Division, Bishnupur.

**SCHEDULE OF SUPPLY**

Sl. No.	Type of materials to be supplied	Govt. rate (each)	Rated Quoted by the Quotationer
1	Supply of 150 CC Hycopot / Root Trainer to Amdangra Central Nursery, Bankadaha Range 10,000 nos.	2.85/-	
2	Supply of 300 CC Hycopot / Root Trainer to Amdangra Central Nursery, Bankadaha Range Rs. 15,000 nos.	4.75/-	

**CONDITIONS**

- 1) The Plain Paper Quotation should be submitted in sealed cover.
- 2) Details specification of the Root Trainer are given in the annexure. The interested suppliers will have to submit at least 5 sample of each size and have to pass the "Drop Test".
- 3) The Suppliers should quote the rates in figures as well as in words & the quoted rate should be inclusive of all taxes and delivery up to the field side at Amdangra Central Nursery.
- 4) The suppliers should submit Income-Tax Clearance & GSTN Registration Certificate.
- 5) Bill has to be submitted with detailed backup of GST (CGST & SGST) as per the prevalent Govt. Order in this respect. All taxes & Cess will be deducted from Gross Bill as per the Govt. Rules.
- 6) Incomplete Quotation will be summarily rejected.
- 7) Acceptance of lowest quotation is not obligatory and the undersigned reserves the right to accept or reject any/all the quotations without assigning any reason whatsoever.
- 8) Sealed Quotation will be received only up to 3:00 P.M. on 18/01/2018

Divisional Forest Officer  
 Panchet Division  
 Bishnupur Bankura

No.101/02-05

Dated, Bishnupur, the: 10 / 01 / 2018

**Copy forwarded for information and wide circulation to:-**

1. The Chief Conservator of Forest, Central Circle, West Bengal.
2. The Sub- Divisional Officer, Bishnupur
3. The Block Development Officer, Bishnupur
4. The Chairman, Bishnupur Municipality.
5. The Sub- Divisional Information & Cultural Officer, Bishnupur
6. The Divisional Forest officer, Bankura (N) Division.
7. All Range Officers including AFR of Panchet Division with request to affix in the Range Notice board
8. Computer Operator of this officer is requested to upload in "www.bankuraforest.in" Website
9. Office Notice Board.


Divisional Forest Officer  
 Panchet Division  
 Bishnupur Bankura

## ANNEXURE

### **B. Specification of Root Trainer:**

a	Root Trainer made by Black HDPE material, 150 cc capacity, Inner Dia – 51 mm, Outer Dia – 55 mm, Wall Thickness – 2 mm, Length – 101 mm, Inner Ridges – 05 Nos, Inner Ridge height – 2mm, Outer Ring – 1.5 cm from top, Ring Thickness – 2 mm
---	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**DRAWING OF ROOT TRAINER (VOLUME: 150 C.C. )**




Inner diameter – 51 mm, outer diameter – 55 mm , wall thickness – 2 mm , length – 101 mm, inner ridges 05 in nos., inner ridge height – 2 mm, outer ring – 1.5 cm from top, outer ring thickness – 2 mm.

## A. Specification of Root Trainer :

Root Trainer made by Black HDPE material, 300 cc capacity, Inner Dia – 71 mm, Outer Dia – 75 mm, Wall Thickness – 2 mm, Length – 129 mm, Inner Ridges – 05 Nos., Inner Ridge height – 2mm, Outer Ring – 1.5 cm from top, Ring Thickness – 2 mm

DRAWING OF ROOT TRAINER (VOLUME: 300 C.C.)



Inner diameter – 71 mm, Outer diameter – 75 mm, wall thickness – 2 mm, length – 135 mm to 140 mm, inner ridges 07 in nos., inner ridge height – 2 mm, outer ring – 1.5 cm from top, outer thickness – 2 mm.